

Contents

| | |
|--|------|
| Subject-Index | IV |
| List of Locations | VIII |
| Abraham, K., Gebert, W., Medenbach, O., Schreyer, W., Hentschel, G.: Eifelite, $\text{KNa}_3\text{Mg}_4\text{Si}_{12}\text{O}_{30}$, a New Mineral of the Osumilite Group with Octahedral Sodium | 252 |
| Albarède, F., s. Alibert, C., et al. | 176 |
| Alibert, C., Michard, A., Albarède, F.: The Transition from Alkali Basalts to Kimberlites: Isotope and Trace Element Evidence from Melilitites | 176 |
| Anderson, A.T. Jr., s. Jto, E. | 371 |
| Armbruster, Th., Irouschek, A.: Cordierites from the Lepontine Alps: Na+Be→Al Substitution, Gas Content, Cell Parameters, and Optics | 389 |
| Ashwal, L.D., Morrison, D.A., Phinney, W.C., Wood, J.: Origin of Archean Anorthosites: Evidence from the Bad Vermilion Lake Anorthosite Complex, Ontario | 259 |
| Baker, J.H., Groot, P.A.: Proterozoic Seawater - Felsic Volcanics Interaction W. Bergslagen, Sweden. Evidence for High REE Mobility and Implications for 1.8 GA Seawater Compositions | 119 |
| Baker, M.B., s. Grove, T.L., et al. | 407 |
| Becker, S.M., s. Brown, W.L., et al. | 13 |
| Beswick, A.E.: Primary Fractionation and Secondary Alteration Within an Archean Ultramafic Lava Flow | 221 |
| Biggar, G.M.: A Re-Assessment of Phase Equilibria Involving Two Liquids in the System $\text{K}_2\text{O}-\text{Al}_2\text{O}_3-\text{FeO}-\text{SiO}_2$ | 274 |
| Blanchard, D.P., s. Dungan, M.A., et al. | 131 |
| Boullier, A.M., s. Lancelot, J.R., et al. | 312 |
| Bridgwater, D., s. Springer, N., et al. | 26 |
| Brown, W.L., Becker, S.M., Parsons, I.: Cryptoperthites and Cooling Rate in a Layered Syenite Pluton: A Chemical and TEM Study | 13 |
| Brown, W.L., s. Parsons, I. | 1 |
| Brueckner, H.K., s. Mahlburg Kay, S., et al. | 99 |
| Chappell, B.W., s. Jaques, A.L., et al. | 154 |
| Cliff, R.A., Gray, C.M., Huhma, H.: A Sm-Nd Isotopic Study of the South Harris Igneous Complex, the Outer Hebrides | 91 |
| Comin-Chiaromonte, P., s. Sinigoi, S., et al. | 351 |
| Cooper, J.A., Dong, Y.B.: Zircon Age Data from a Greenstone of the Archaean Yilgarn Block, Australia: Mid Proterozoic Heating or Uplift? | 397 |
| Demarchi, G., s. Sinigoi, S., et al. | 351 |
| Dickin, A.P., Jones, N.W.: Relative Elemental Mobility During Hydrothermal Alteration of a Basic Sill, Isle of Skye, N.W. Scotland | 147 |
| Dong, Y.B., s. Cooper, J.A. | 397 |
| Ducrot, J., s. Lancelot, J.R., et al. | 312 |
| Dungan, M.A., Vance, J.A., Blanchard, D.P.: Geochemistry of the Shuksan Greenschists and Blueschists, North Cascades, Washington: Variably Fractionated and Altered Metabasalts of Oceanic Affinity | 131 |
| Eugster, H.P., s. Myers, J. | 75 |
| Faure, G., s. Mensing, T.M. | 327 |
| Freestone, I.C., Powell, R.: The Low Temperature Field of Liquid Immiscibility in the System $\text{K}_2\text{O}-\text{Al}_2\text{O}_3-\text{FeO}-\text{SiO}_2$ with Special Reference to the Join Fayalite-Leucite-Silica | 291 |
| Gebert, W., s. Abraham, K., et al. | 252 |
| Gerlach, D.C., s. Grove, T.L., et al. | 407 |
| Glassley, W.E., s. Springer, N., et al. | 26 |
| Goto, A., s. Nagata, J., et al. | 42 |
| Gray, C.M., s. Cliff, R.A., et al. | 91 |
| Groot, P.A. de, s. Baker, J.H. | 119 |
| Grove, T.L., Gerlach, D.C., Sando, T.W., Baker, M.B.: Origin of Calc-Alkaline Series Lavas at Medicine Lake Volcano by Fractionation, Assimilation and Mixing: Corrections and Clarifications | 407 |
| Gunter, W.D., s. Rubie, D.C. | 165 |
| Hardie, L.A.: Origin of CaCl_2 Brines by Basalt-Seawater Interaction: Insights Provided by Some Simple Mass Balance Calculations | 205 |
| Hay, R.L., O'Neil, J.R.: Carbonatite Tuffs in the Laetoli Beds of Tanzania and the Kaiserstuhl in Germany | 403 |
| Hentschel, G., s. Abraham, K., et al. | 252 |
| Hiroi, Y.: Progressive Metamorphism of the Unazuki Pelitic Schists in the Hida Terrane, Central Japan | 334 |
| Holland, T.J.B.: The Experimental Determination of Activities in Disordered and Short-Range Ordered Jadeitic Pyroxenes | 214 |
| Huhma, H., s. Cliff, R.A., et al. | 91 |
| Irouschek, A., s. Armbruster, Th. | 389 |
| Ito, E., Anderson, A.T. Jr.: Submarine Metamorphism of Gabbros from the Mid-Cayman Rise: Petrographic and Mineralogical Constraints on Hydrothermal Processes at Slow-Spreading Ridges | 371 |
| Jaques, A.L., Chappell, B.W., Taylor, S.R.: Geochemistry of Cumulus Peridotites and Gabbros from the Marum Ophiolite Complex, Northern Papua New Guinea | 154 |
| Jones, N.W., s. Dickin, A.P. | 147 |
| Kay, R.W., s. Mahlburg Kay, S., et al. | 99 |
| Lancelot, J.R., Boullier, A.M., Maluski, H., Ducrot, J.: Deformation and Related Radiochronology in a Late Pan-African Mylonitic Shear Zone, Adrar des Iforas (Mali) | 312 |
| Mahlburg Kay, S., Kay, R.W., Brueckner, H.K., Rubenstein, J.L.: Tholeiitic Aleutian Arc Plutonism: The Finger Bay Pluton, Adak, Alaska | 99 |
| Maluski, H., s. Lancelot, J.R., et al. | 312 |
| McLelland, J.M., s. Whitney, P.R. | 34 |
| Mendenbach, O., s. Abraham, K., et al. | 252 |
| Mensing, T.M., Faure, G.: Identification and Age of Neofomed Paleozoic Feldspar (Adularia) in a Precambrian Basement Core from Scioto County, Ohio, USA | 327 |
| Merino, E., Ortoleva, P., Strickholm, P.: Generation of Evenly-Spaced Pressure-Solution Seams During (Late) Diagenesis: A Kinetic Theory | 360 |
| Michard, A., s. Alibert, C., et al. | 176 |
| Moore, J.M.Jr., s. Pride, C. | 187 |
| Morrison, D.A., s. Ashwal, L.D., et al. | 259 |
| Myers, J., Eugster, H.P.: The System Fe-Si-O: Oxygen Buffer Calibrations to 1,500 K | 75 |
| Nagata, J., Goto, A., Obata, M.: The Parabolic Pattern of Chromium Partitioning Observed Between Pyroxenes and Spinel from Ultramafic Rocks and Its Petrologic Significance | 42 |
| Obata, M., s. Nagata, J., et al. | 42 |
| O'Neil, J.R., s. Hay, R.L. | 403 |
| Ortoleva, P., s. Merino, E., et al. | 360 |
| Ozawa, K.: Evaluation of Olivine-Spinel Geothermometry as an Indicator of Thermal History for Peridotites | 52 |
| Parsons, I., Brown, W.L.: A TEM and Microprobe Study of a Two-perthite Alkali Gabbro: Implications for the Ternary Feldspar System | 1 |
| Parsons, I., s. Brown, W.L., et al. | 13 |
| Pedersen S., s. Springer, N., et al. | 26 |
| Phinney, W.C., s. Ashwal, L.D., et al. | 259 |
| Powell, R., s. Freestone, I.C. | 291 |
| Pride, C., Moore, J.M.Jr.: Petrogenesis of the Elzevir Batholith and Related Trondhjemitic Intrusions in the Grenville Province of Eastern Ontario, Canada | 187 |

| | | | |
|---|-----|--|-----|
| Roedder, E.: Discussion of "A Re-Assessment of Phase Equilibria Involving Two Liquids in the System $K_2O-Al_2O_3-FeO-SiO_2$," by G.M. Biggar | 284 | Triboulet, C.: Uni- and Divariant Equilibria Between Starolite, Chloritoid, Garnet, Chlorite, Biotite in Medium Pressure Meta-Acidites from Lorient-Concarneau Area (South Brittany, France) | 195 |
| Rubenstein, J.L., s. Mahlborg Kay, S., et al. | 99 | Vance, J.A., s. Dungan, M.A., et al. | 131 |
| Rubie, D.C., Gunter, W.D.: The Role of Speciation in Alkaline Igneous During Fenite Metasomatism | 165 | Vielzeuf, D.: The Spinel and Quartz Associations in High Grade Xenoliths from Tallante (S.E. Spain) and Their Potential Use in Geothermometry and Barometry | 301 |
| Sando, T.W., s. Grove, T.L., et al. | 407 | Whitney, P.R., McLelland, J.M.: Origin of Biotite-Hornblende-Garnet Coronas Between Oxides and Plagioclase in Olivine Metagabbros, Adirondack Region, New York | 34 |
| Schreyer, W., s. Abraham, K., et al. | 252 | Wolff, J.A., Storey, M.: The Volatile Component of Some Pumice-Forming Alkaline Magmas from the Azores and Canary Islands | 66 |
| Siena, F., s. Sinigoi, S., et al. | 351 | Wood, J., s. Ashwal, L.D., et al. | 259 |
| Sinigoi, S., Comin-Chiaromonti, P., Demarchi, G., Siena, F.: Differentiation of Partial Melts in the Mantle: Evidence from the Balmuccia Peridotite, Italy | 351 | Erratum | 117 |
| Springer, N., Pedersen, S., Bridgwater, D., Glassley, W.E.: One Dimensional Diffusion of Radiogenic ^{87}Sr and Fluid Transport of Volatile Elements Across the Margin of a Metamorphosed Archaean Basic Dyke from Saglek, Labrador | 26 | | |
| Storey, M., s. Wolff, J.A. | 66 | | |
| Strickholm, P., s. Merino, E., et al. | 360 | | |
| Taylor, S.R., s. Jaques, A.L., et al. | 154 | | |
| Thy, P.: Phase Relations in Transitional and Alkali Basaltic Glasses from Iceland | 232 | | |

*Indexed in Current Contents/
Abstracted in Mineralogical Abstracts*

Subject Index

- Acmite/hematite stability, carbonatite
 fenitization 173
actinolite 133f., 260, 373
activities, experim. determination in pyroxenes
 214f.
adularia 327f.
aegirine 165
aegirine-augite 165
Al - augite series, websterite 352
albite 19, 134, 379, 390
 -, order-disorder measurement 215
albitisation 211
 -, fenites 166
albitite 165
Al₂SiO₅ magmatic trends 99f.
alkali basalts, Azores 66f.
 -, Iceland 232f.
 -, xenoliths 301
alkali basalts → kimberlite transition 176f.
alkali carbonatite 403
 -, lavas 403
alkali feldspar 2
 -, fenitization 165f.
 -, microtextures 13ff.
 -, neof ormation in Precambrian basement
 328f.
 -, pumice 67
alkali metasomatism 165f., 257
alkaline igneous rocks, fenite association
 165f.
allanite 108
Al silicates 200f.
alteration, komatiite lava flow 226f.
 -, submarine gabbros 371f.
alteration sequence, Cayman rocks 382f.
amphibole 27, 67, 105, 253, 260, 315, 352
 -, blueschists 133f.
 -, Mid-Cayman Rise gabbros 372f.
amphibolite 27, 334, 371f.
amphibolite facies metamorphism,
 Sr diffusion 30f.
andalusite 390
andesine 1, 188
anorthoclase 67
anorthosite 92
 -, Archean 259ff.
antigorite 222
apatite 2, 177, 336
 -, carbonatite 405
arc plutonism, Al₂SiO₅ Islds. 99f.
Ar geochronology, feldspars from
 Pan-African belt shear zone 318
assimilation, calc-alkaline lavas 407f.
augite 156, 407
 -, carbonatite 405
Ba, perthites 5
basalts, Tenerife 66f.
basalt-seawater interaction, brine origin 205f.
batholiths, Grenville province 188
Be, cordierites 389f.
biotite 2, 27, 67, 97, 106, 188, 195, 197,
 337, 390

